

↑

Ė

Ū

⋮ Ė

Ė

9

9

Ė

= Ė =

Ė

ĩ ì

2

ñ

└

L

≠

No

Ė

└

L

ρ

└

Ė ρ

Ė ρ

∇

∇

No

⋮

Ė

∇

No

Ė ⋮

Ė

∇

ĳ

∇

↑

	⌈			⌈	⌘
	↔ "H			⌈	⌘
	↔			⌈	⌘
	⌈			⌈	⌘
	⓪			⌈	⌘
	⓪			⌈	⌘
	↗			⌈	⌘
				⌈	⌘
	d ≠			⌈	⌘
	d			⌈	⌘
	⌈			⌈	⌘
	↔			⌈	⌘
	↔ "H			⌈	⌘
	d			⌈	⌘
				⌈	⌘
	"			⌈	⌘
	↔			⌈	⌘
	↔			⌈	⌘
	↔ ↘			⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘
	↔ 7			⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘
	Ⓜ			⌈	⌘
				⌈	⌘
	↔ "H			⌈	⌘
				⌈	⌘
	↔			⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘
				⌈	⌘

	$\ddot{U}$			「 $\neq$
				「 $\neq$
	$\leftrightarrow$			「 $\neq$
				「 $\neq$
				「 $\neq$
	$\leftrightarrow$			「 $\neq$
	$\leftrightarrow$			「 $\neq$
	$\dot{\omega}$			「 $\neq$
				「 $\neq$
				「 $\neq$
	$\leftrightarrow \eta$			「 $\neq$
				「 $\neq$
				「 $\neq$
	$\underline{L}$			「 $\neq$
				「 $\neq$
				「 $\neq$
				「 $\neq$
				「 $\neq$

	$\leftrightarrow$			$\lceil$	$\neq$
	$\leftrightarrow$			$\lceil$	$\neq$
	$\neq$			$\lceil$	$\neq$
				$\lceil$	$\neq$
				$\lceil$	$\neq$
				$\lceil$	$\neq$
				$\lceil$	$\neq$
				$\lceil$	$\neq$
				$\lceil$	$\neq$
	$\neq$			$\lceil$	$\neq$
				$\lceil$	$\neq$
	$\leftrightarrow$			$\lceil$	$\neq$
	$\cup$				

| | ↔ η ν | | | | ⌈ ≠ |

$\tilde{E}$ h 9 h
 $\mathbb{F}$
 $\square$ 9 $\int$ $\rho \ddot{u} \mathbb{F}_9$
 λ $\dot{t}$ τ $\square$
 $\rho \ddot{u} \mathbb{F}$ 9 $\dot{e}$
 γ vii $\tilde{E}$ $\sim$ 9 $\dot{e}$
 $\mathbb{M}$ $=$ 9 $\square$ $h \tilde{E}$
 $\mathbb{F}$ $\dot{e}$ $\vdash$
 $=$ $\tilde{E} \rho \parallel$ 9 D γ
 $\ddot{u} \mathbb{F}$ $\ddot{t}$ $=$ $\tilde{E} \rho$ $h \tilde{E}$ $\mathbb{F}$
 $\dot{e}$ $\vdash$ τ
 $\mathbb{M}$ 9 $\dot{e}$ vii
 L $O'Y$
 $\mathbb{M}$ 9 $\tilde{E}$

$$\varepsilon_{\alpha}^{\nu} = \frac{E^{\nu}}{T} \quad \text{or} \quad \varepsilon_{\alpha}^{\nu} = \frac{E^{\nu}}{T}$$

$$\begin{array}{ccccccc}
\mathbb{M} & & 2 & & \mathcal{E} & \mathfrak{b} \mathfrak{F} & \mathcal{E} \\
\mathbb{M} & & = \mathbb{H} & \mathfrak{F} & \mathcal{E} & & \mathfrak{i} \\
= & \mathfrak{F} & \mathcal{E} & \mathfrak{i} & = & & \\
\%o & & & & & & \\
\mathbb{M} & & & & & & \mathfrak{p} \\
& & \mathcal{E}^{\circ} & \mathcal{O} & \mathcal{O} & & \\
& \mathfrak{i} \mathfrak{F} & \downarrow & & & \mathcal{E} \mathfrak{i} & 2 \mathcal{O} \\
\mathfrak{F} & \mathcal{E} & & = & \mathfrak{i} \vee \mathcal{E}^{\sim} & & \mathfrak{d}
\end{array}$$

M

20

$$V = U \otimes V = V$$
 $1 \cdot q \cdot 0 \frac{1}{4}$

1\•q09f!õ"@Ü_V6ÑLWJãFkYE~0...£X0©S°f5f-

$$\begin{aligned} \mathbf{p} &= \begin{pmatrix} 2 \\ 2 \\ 0 \end{pmatrix} \\ &= \begin{pmatrix} 2 \\ 2 \\ 0 \end{pmatrix} \\ &= \begin{pmatrix} 2 \\ 2 \\ 0 \end{pmatrix} \end{aligned}$$

$$\begin{array}{ccccccc}
 \sim & & \dot{t} & & 2 \dot{t} & p \dot{t} & \dot{t} & & 2 \dot{t} \\
 \dot{t} & & & & & \dot{E} & & & \\
 & & & & & & & & \\
 \mathcal{M} & & & & \dot{E} & \dot{E} & \downarrow & & \dot{t}
 \end{array}$$

ε
 $\ddot{U} \neq \check{i}$
 $\eta \quad r \quad \vee \quad \check{n} \quad \vee \quad \neq \quad \sim \quad b \neq =$
 $= \quad =$
 $\vee \quad a = \quad \check{i} \quad a = \quad \check{i} \quad \tau \quad \tau \quad =$
 $\vee \sim \quad b = \quad \tau \quad \tau \quad \vee \quad \neq \quad \tau \quad \tau \quad =$
 $\vee \quad \bar{G} = = \quad O \quad || = \sim \quad b \neq$
 $= \quad \check{\alpha}$
 $\vee \quad \neq \quad O \quad \neq \quad \sim \quad \check{i}$
 $O \quad \neq \quad \neq \quad \acute{p} \quad a \quad \neq \quad \neq$
 $\vee \quad = \quad A \quad \neq$
 $O \quad b \quad \tilde{E} \quad \bar{G} \quad \bar{G}$
 $\vee \quad \acute{p} \quad \acute{e} \quad O \quad O$
 $\neq \quad O \quad \check{i} \quad \check{i} \quad \neq \quad O$
 $\ddot{U} \quad = \quad = \quad \varepsilon \quad = \quad \check{i}$
 $\tilde{E} \quad \check{i} \quad \check{i} \quad 2$
 $\vee \quad \tilde{E} \quad O \quad \vee \quad \tilde{E} \quad 2$
 $\vee \quad \vee \quad \tau \quad \square \quad 2$

$$\begin{array}{c}
\mathbb{M} \quad \mathbb{M} \quad \tau \quad \square \\
\mathcal{E} \quad \dot{\imath} \quad 2 \quad \backslash \\
\mathbb{M} \quad \mathbb{E} \quad \mathcal{E} \quad \mathbb{E}^{\sim} \quad \vdash \quad \mathcal{E} \quad \mathbb{V} \quad \mathbb{X} \\
\vdash \quad \neq \quad \dot{\imath} \quad \dot{\imath} \quad \sim \quad \sim \quad \mathbb{V} \quad \mathbb{E}^{\sim} \\
\mathbb{M} \quad \sim \\
\mathbb{M} \quad \tilde{\eta} \quad \check{\imath} \quad \dot{\rho} \quad 2 \quad \mathbb{V} \\
\mathbb{F} \quad \mathbb{F} \quad \mathbb{M} \quad \mathbb{W} \quad \mathcal{E} \\
\vdash \\
\mathbb{M} \quad \bar{\mathbb{G}} \quad \mathbb{E}^{\sim} \quad \mathbb{H} \quad \% \\
\mathbb{M} \quad \sim \quad \downarrow \quad = \quad \mathbb{F} \\
\mathbb{M} \quad \neq \quad \dot{\imath} \quad \tau \quad \tau \quad \mathbb{E}^{\sim} \quad \neq \quad \mathbb{E}^{\sim} \\
\tilde{\mathbb{e}} \\
\mathbb{M} \quad \mathbb{E}^{\sim} \quad \vdash \quad \mathbb{V} \quad \mathbb{E}^{\sim} \\
\mathbb{E}^{\sim} \quad \tilde{\mathbb{e}} \\
\mathbb{M} \quad \mathbb{E}^{\sim} \quad \mathbb{O} \quad \sim \\
\mathcal{E} \quad \bullet \quad \eta \quad \mathbb{r} \quad \mathbb{V} \quad \mathbb{O} \quad \mathcal{E} \\
\vdash \quad \vdash \quad \vdash \quad \bullet \quad \mathbb{V} \quad \mathcal{E} \\
\vdash \quad \vdash \quad \mathbb{V} \quad \mathbb{V} \quad \mathbb{O} \quad \mathbb{V} \quad \mathcal{E} \\
\mathbb{V} \quad \mathcal{E} \quad \mathbb{D} \quad \mathbb{E}^{\sim} \quad \dot{\imath} \quad \mathbb{D} \quad \mathbb{V} \\
\mathbb{E}^{\sim} \quad \dot{\imath} \\
\mathbb{M} \quad \mathbb{a} \quad \downarrow \quad \mathbb{F} \\
\mathbb{L} \quad \mathbb{E}^{\sim} \quad \mathbb{P} \quad \mathbb{F} \\
\mathbb{E}^{\sim} \quad \vdash \quad \mathbb{V} \\
2 \quad \mathbb{E}^{\sim} \quad \vdash \quad \mathbb{V} \\
= \quad 2 \quad \mathbb{F} \quad \tilde{\omega} \quad 2 \\
2 \quad \mathbb{E}^{\sim} \quad \neq \quad 2
\end{array}$$

Ē Ē Ē Ē Ē Ē Ē

$\vee \dot{\bar{L}}$ $\bar{L}$ $\vee \bar{E}^{\sim}$ $\bar{J}$
 $\neq N_0 \dot{\bar{r}}$
 $\bar{E}^{\sim} \neq \vee \neq N_0 \bar{E}^{\sim} \bar{E}^{\sim} \dot{\bar{r}} \bar{E}^{\sim}$
 $\bar{H} N_0 \cap \bar{U} \bar{E}^{\sim}$
 $\bar{\alpha} \bar{L} \neq N_0 \neq N_0$
 $N_0 \neq a \frac{7}{8}$
 $\bar{E}^{\sim} \bar{\omega} N_0 \neq N_0 N_0$
 N_0
 $\bar{E}^{\sim} \vee \sim N_0 \neq \vee$
 $\bar{E}^{\sim} \vdash \bar{p} \vee \vdash \bar{p} \bar{f} \dot{\bar{r}} \% \bar{G} \bar{p}$
 $N_0 \bar{D}$
 $N_0 \bar{E}^{\sim} N_0 \neq \bar{U} N_0$
 $\sim N_0 \neq N_0 \neq \sim N_0 \neq N_0 \vee$
 $\frac{7}{8} \bar{f}$
 $\bar{E}^{\sim} \vee \bar{\rho} \bar{f} \bar{f} \bar{E}^{\sim}$
 $\bar{f} \bar{H}$
 $\bar{E}^{\sim} \vee \bar{\rho} \bar{f} \bar{f} \bar{E}^{\sim}$
 $\bar{E}^{\sim} \frac{7}{8} \bar{f} \bar{U} \neq N_0 \bar{f} \bar{U}$
 $N_0 \neq N_0 \vee \bar{D} \vee \bar{f} \frac{7}{8} \bar{f} \bar{U}$
 $\neq N_0$
 $\bar{G} \bar{E}^{\sim} \bar{E}^{\sim} \bar{f} \bar{f} \bar{E}^{\sim} \bar{f} \bar{E}^{\sim} \bar{f} \bar{U} \bar{p} \neq$
 $\neq$
 $\bar{E}^{\sim} \sim \bar{f} \sim \bar{E}^{\sim} \bar{f} \bar{f} \bar{f}$
 $\neq N_0 \bar{D}$
 $N_0 \neq N_0 \neq \bar{f} \bar{f} \neq N_0$
 $\bar{E}^{\sim} \bar{E} \bar{E}^{\sim} \bar{E}^{\sim} \bar{E}$
 $\bar{f} \bar{E}^{\sim} \bar{Y}$
 $\neq N_0$

[illegible]

$\dot{\imath}$ $\text{\textcircled{F}}$
 $\text{\textcircled{E}}^{\sim}$ No
 ω $\text{\textcircled{E}}^{\sim}$ $\ddot{\text{U}}$ a $\neq$ $\dot{\imath}$ $\int$ $\dot{\imath}$
 $=$ $\text{\textcircled{E}}^{\sim}$ η $=$ $\text{\textcircled{E}}^{\sim}$
 $\mathbb{M}$ $\text{\textcircled{E}}^{\sim}$ $\mathbb{M}$ $\tilde{\eta}$ $\sim$ $\acute{\text{k}}$
 ω $\Vdash$ $\acute{\text{k}}$ $\text{\textcircled{F}}$ $=$
 $\tilde{\eta}$ $\mathbb{M}$ $\text{\textcircled{E}}^{\sim}$ $\mathbb{M}$ $\tilde{\eta}$
 $\text{\textcircled{F}}$ $\acute{\rho}$
 τ 2 2 $\tilde{\text{v}}$ $\sim$
 $\tilde{\eta}$ $\mathbb{M}$ $\text{\textcircled{E}}^{\sim}$ $\text{No}\neq$ L a $\downarrow$
 $\tilde{\text{v}}$ ξ γ
 $\text{\textcircled{E}}\vartheta\tilde{\text{v}}$ τ $\text{\textcircled{E}}^{\sim}$ $\vdash$
 $\check{\text{i}}$
 $\tilde{\text{v}}$ $\tilde{\text{v}}\vdash$
 $\text{\textcircled{E}}$ $\text{\textcircled{E}}^{\sim}$ $\tilde{\text{e}}\tilde{\text{v}}\vdash\text{U}$ $\blacktriangledown_{\varphi}$
 $\text{\textcircled{E}}^{\sim}$ $\check{\alpha}$
 $\tilde{\eta}$ $\mathbb{M}$ $\acute{\rho}$ $\tilde{\text{v}}$ $\acute{\rho}$ $\text{\textcircled{E}}^{\sim}$
 e $\text{\textcircled{E}}\vartheta$ $\tilde{\text{v}}$ $\int$ $\acute{\rho}$ $\int$ $\text{\textcircled{E}}\vartheta$
 $\acute{\rho}$ h $\dot{\imath}$ $\tilde{\text{v}}$
 $\tilde{\text{v}}$ $\tilde{\text{v}}$ $\tilde{\text{v}}$ τ L $\tilde{\text{v}}$
 $\tilde{\text{v}}$ $\tilde{\text{v}}$ $\tilde{\text{e}}$
 $\tilde{\eta}$ $\mathbb{M}$ $\text{\textcircled{E}}^{\sim}$ L $\tilde{\text{v}}$ ξ γ U L
 $\text{\textcircled{E}}^{\sim}$ $\text{No}\neq$ $\tilde{\text{e}}$ $\tilde{\text{e}}$
 $\tilde{\text{e}}\text{\textcircled{E}}^{\sim}$ $\tilde{\text{v}}\vdash\text{U}$ $\blacktriangledown_{\varphi}$ $\text{\textcircled{E}}^{\sim}$ τ $\text{\textcircled{E}}^{\sim}$ $\Vdash$ $\tilde{\text{e}}$
 $\Vdash$ No
 $\tilde{\eta}$ $\mathbb{M}$ $\text{\textcircled{E}}^{\sim}$ L $\tilde{\text{v}}$ ξ γ U $\ddot{\text{U}}$ $\text{\textcircled{E}}^{\sim}$
 $\tilde{\text{e}}\tilde{\text{v}}\vdash$ ω h ϑ

$$\begin{array}{c}
\begin{array}{ccccc}
\tilde{E} & & \vartheta & U & \vdash \\
\tilde{M} & \tilde{E} & U & L\vartheta & \vartheta \\
\tilde{E} & \tau & \tilde{E} & \tilde{E}\vartheta\tilde{E} & \\
\tilde{M}\tilde{E} & 2 & \omega & \vdash & \\
2 & \neq & \dot{I} & \dot{I} & \sim \sim \tilde{E} \\
2 & & \tilde{E} & \tilde{V} & \tilde{e} \\
\tilde{M} & \tilde{E} & \omega & \vartheta & \omega \tau \\
& & & & \mathfrak{M} \quad \acute{k} \\
\tilde{M}\tilde{M} & \downarrow & \tilde{E} & \acute{k} & \\
\tilde{E} & \tau & \acute{k} & U & \acute{k} U \\
\tilde{E} & ' \ddot{U} \dot{I} & & & \\
& = \acute{k} & & & \\
\tilde{M} & & \acute{k} & \tau & \tau \\
\% \quad \dot{I} \tilde{E} & \omega = W \dot{I} & & & \\
\mathfrak{M} & \omega & \acute{k} & = \acute{e} \tau \tau & \acute{k} \\
\mathfrak{M} & \acute{k} & & H & \tilde{E}\vartheta \\
& & \mathfrak{M} & \dagger & \\
\mathfrak{M} & & \dot{I} & \vee \tilde{E} & \mathfrak{D} \\
p \omega \dot{I} & & = & p \tau = \sqrt{\quad} \dot{I} & \ddot{I} \\
& L & \tilde{E} & & \\
\tilde{E} & \tau \tau & \tilde{E} & L & 2 \dot{I} \\
& L & \tau & \dot{I} \sim \tilde{E} \neq \dot{I} \tau p & \\
& \square \dot{I} & \dot{I} \tau \tau & & \\
\mathfrak{M} & & & &
\end{array}
\end{array}$$

$\mathbb{E}^{\sim}$

